

*far away, heater, pets feeder, pump controller/security*

# **GSM CONTROLLER**

**Model : GSM-121**

**ISO-9001, CE, IEC1010**



## **FEATURES**

- \* Control/Alarm via GSM mobile phone with no distance.
- \* Four terminals for connecting :
  1. Detect switch input
  2. Control relay output
  3. Alarm output ( Buzzer or Alarm relay )
  4. DC 9V power output
- \* Four ear phone sockets for connecting :
  1. Wireless detect switch receiver
  2. Wireless control relay
  3. Wireless alarm output ( Buzzer or Alarm relay )
  4. GSM indicator
- \* It can default 3 telephone no. to send warning SMS.
- \* Optional accessories :
  - Wireless detect switch transmitter : DS-121
  - Wireless detect switch receiver : DT-124
  - Wireless buzzer : WB-122
  - Wireless relay : WR-123
- \* Features : Intelligent , innovation, wide range, control with no distance limitation.
- \* Application : Far away controller ( heater controller, pets feeder, pump controller ), home/car/office/factory security system.



**LUTRON ELECTRONIC**

***The Art of Measurement***

# WIRELESS DETECT SWITCH

Model : DS-121

ISO-9001, CE, IEC1010



Accessories of GSM controller GSM-120, GSM-121



LUTRON ELECTRONIC

*The Art of Measurement*

*Optional accessory for GSM-120 , GSM-121*

# WIRELESS BUZZER

**Model : WB-122**

*ISO-9001, CE, IEC1010*



## FEATURES

- \* Whole set combine one transmitter, buzzer with receiver and DC 9V power adapter for the receiver.
- \* WB-122 can make the replacement for the wire's buzzer ( accessory of GSM-120), user can hide the main system of GSM-120, GSM-121 and only present the WB-122 in the obviously place, then the thief will not find the main system ( GSM-120, GSM-121 ) easily.
- \* Easy to installation, just plug in the WB-122's transmitter into the main system ( GSM-120, GSM-121 ), wire connection is not necessary.
- \* Size : Transmitter : 11 x 3.4 x 2.6 cm, Buzzer/ receiver : 8.8 x 8.8 x 7.5 cm.



**Lutron**

**LUTRON ELECTRONIC**

*The Art of Measurement*